

Plasma Protein Products - Product Information August 2018

Product & Product Sizes		Supplier	Shipping Temp for 24hrs (°C)	Storage Temp (°C)	Max RT (<25°C) Storage Period **
Anti-Inhibitor Coagulant	FEIBA™NF (1000,2500 IU)	Shire	2 to 25	2 to 25	Labelled Date
Albumin	Plasbumin®5% (50mL, 250mL)	Grifols	2 to 30	2 to 30	Labelled Date
	Albumin 25%/Plasbumin® (100mL,250mL)	Grifols/CBS	2 to 30	2 to 30	Labelled Date
	Alburex®5% (250mL, 500mL)	CSL Berhing	2 to 30	2 to 30	Labelled Date
	Alburex®25% (50mL, 100mL)		2 to 30	2 to 30	Labelled Date
Antithrombin III	Antithrombin III NF (1000 IU)	Shire	2 to 8	2 to 8	N/A
C1 Inhibitor	Beriner® (500,1500 IU)	CSL Berhing	2 to 25	2 to 25	Labelled Date
	CINRYZE® (500 IU)	Shire	2 to 25	2 to 25	Labelled Date
Factor VII	*Factor VII (600 IU)	Shire	2 to 8	2 to 8	N/A
Recombinant Factor VIIa (rFVIIa)	NiaStase RT® (1.0mg,2.0mg,5.0mg)	Novo Nordisk	2 to 25	2 to 25	Labelled Date
Factor VIII	*Hemofil M NF (1000 IU)	Shire	2 to 30	2 to 30	Labelled Date
	*Koate-DVI (500,1000 IU)	Grifols	1 to 25	2 to 8	6 months
Recombinant Factor VIII	Kovaltry FS (250, 500, 1000, 2000, 3000 IU)	Bayer	2 to 25	2 to 8	12 months
	Xyntha® (250, 500, 1000, 2000,3000 IU)	Pfizer Canada Inc	2 to 8	2 to 8	3 months (>8C)
	Eloctate™ (250, 500, 750, 1000, 1500, 2000, 3000 IU)	Bioverativ	2 to 8	2 to 8	6 months
	Nuwiq (250, 500, 1000, 2000,3000,4000 IU)	Octapharma	2 to 8	2 to 8	12 months

Product & Product Sizes		Supplier	Shipping Temp for 24hrs (°C)	Storage Temp (°C)	Max RT (<25°C) Storage Period **
Factor VIII/von Willebrand Factor (vWF)	Humate P® (1000 RcoF, 2000 RcoF IU)	CSL Behring	2 to 25	2 to 25	Labelled Date
	wilate® (500, 1000 IU)	Octapharma	2 to 8	2 to 8	6 months
Factor IX	Immunine®VH (500IU)	Shire	2 to 8	2 to 8	3 months
Recombinat Factor IX (rFIX)	BeneFIX® (500, 1000, 2000, 3000 IU)	Pfizer Canada Inc	2 to 30	2 to 30	Labelled Date
	Rebinyn (500,1000,2000 IU)	Novo Nordisk	2 to 8	2 to 8	6 months
	Aprolix™ (500, 1000, 2000, 3000 IU)	Bioverativ	2 to 8	2 to 8	6 months
Factor X	*Factor X P Behring (600 IU)	CSL Behring	2 to 8	2 to 8	N/A
Factor XI	*Factor X (1000 IU)	Bio Products Laboratory	2 to 25	2 to 25	Labelled Date
Factor XIII	Corifact™ (250, 1250 IU)	CSL Behring	2 to 8	2 to 8	N/A
	Tretten® (2500 IU)	Novo Nordisk	2 to 8	2 to 8	N/A
Fibrinogen	RiaSTAP™ (1g)	CSL Behring	2 to 25	2 to 25	Labelled Date
Hyperimmune Globulin/Immune Globulin	WinRho®SDF (Anti-D IG 600, 1500, 5000IU)	Aptevo	2 to 25	2 to 8	N/A
	*Hyper RHO S/D (syringe - 1500IU)	Grifols	2 to 25	2 to 8	N/A
	Hyper Hep B®S/D (Anti-HBIG 0.5, 5 mL)	Grifols	1 to 25	2 to 8	N/A
	HepaGam B® (Anti-HBIG 1, 5mL)	Aptevo	2 to 8	2 to 8	N/A
	VariZIG™(Anti-VZIG 125 IU)	Aptevo	2 to 8	2 to 8	N/A
	GamaSTAN®S/D (IMIG - 2mL)	Grifols	1 to 25	2 to 8	N/A
	Cytogam® (Anti-CMV IG 2.5g)	CSL Behring	2 to 8	2 to 8	N/A
	Gamunex®, 10% (2.5, 5, 10, 20 g)	Grifols	1 to 25	2 to 8	6 months

Product & Product Sizes		Supplier	Shipping Temp for 24hrs (°C)	Storage Temp (°C)	Max RT (<25°C) Storage Period **
Immune Globulin Intervenous/Subcutaneous	IGIVnex (20g)	Grifols	1 to 25	2 to 8	6 months
	Privigen®, 10% (2.5, 5,10,20,40g)	CSL Behring	2 to 25	2 to 25	Labelled Date
	Octagam 10% (5, 10, 20g)	Octapharma	2 to 8	2 to 8	3 months
	Gammagard Liquid, 10% (5, 10g)	Shire	2 to 8	2 to 8	12 months <i>(within the first 24 months of manufacturer date)</i>
	Gammagard S/D (5g)	Shire	2 to 25	2 to 25	Labelled Date
	Panzyga 10% (2.5, 5, 10, 20, 30 g)	Octapharma	2 to 8	2 to 8	9 months
	Hizentra™20% (1, 2, 4, 10g)	CSL Behring	2 to 25	2 to 25	Labelled Date
	Cuvitru 20% (1, 2, 4, 8g)	Shire	2 to 25	2 to 8	Up to 24 months from date of manufacture
	*Gammanorm (1.65g)	Octapharma	2 to 8	2 to 8	1 month
Protein C	*Ceprotrin (500 IU)	Shire	2 to 8	2 to 8	N/A
Prothrobim Complex Concentrates	Octaplex® (500, 1000 IU)	Octapharma	2 to 25	2 to 25	Labelled Date
	Beriplex® P/N (500 IU)	CSL Behring	2 to 25	2 to 25	Labelled Date
S/D Plasma	Octaplasma™ (200mL)	Octapharma	≤-18°C	≤-18°C	N/A
*ASTERISK:	Products not licensed by Health Canada, and only available under the Special Access Programme				

** Labelled Date: Expiry date labelled by manufacturer

*** Adjusted Expiry Date: When you adjust the expiry date due to increase storage temperature; do not use the product after new expiry date or manufacturer's labelled expiry date which ever comes first.