


Plasma Protein Products - Product Information Jun 2021

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within 24hrs	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures		Expiry should be adjusted to
						Yes	No	
Anti-Inhibitor Coagulant	FEIBA™NF (1000,2500 IU)	Shire	2 to 25	✓			✓	
Monoclonal Antibody	Hemlibra® emicizumab (30mg/1ml, 60mg/0.4ml, 105mg/0.7ml, 150mg/1ml)	Roche	2 to 25	✓			✓	
Albumin	Plasbumin®5% (50mL, 250mL, 500mL)	Grifols	2 to 30	✓			✓	
	Albumin 25% Plasbumin® (100mL,250mL)	Grifols/CBS	2 to 30	✓			✓	
	Alburex®5% (250mL, 500mL)	CSL Berhing	2 to 30	✓			✓	
	Alburex®25% (50mL, 100mL)		2 to 30	✓			✓	
Antithrombin III	Antithrombin III NF (1000 IU)	Shire	2 to 8		✓		✓	
C1 Inhibitor	Beriner® (500,1500 IU)	CSL Berhing	2 to 25	✓			✓	
	CINRYZE® (500 IU)	Shire	2 to 25	✓			✓	
	Haegarda (2000, 3000IU)	CSL Berhing	2 to30	✓			✓	
Factor VII	*Factor VII (600 IU)	Shire	2 to 8		✓		✓	
Recombinant Factor VIIa (rFVIIa)	NiaStase RT® (1.0mg,2.0mg,5.0mg)	Novo Nordisk	2 to 25	✓			✓	
Factor VIII	*Koate-DVI (500,1000 IU)	Grifols	2 to 8	✓		✓		6 months
Recombinant Factor VIII (rFVIII)	Kovaltry FS (250, 500, 1000, 2000, 3000 IU)	Bayer	2 to 8	✓			✓	12 months
	Xyntha® (250, 500, 1000, 2000,3000 IU)	Pfizer Canada Inc	2 to 8		✓		✓	3 months if stored at greater than 8°C
	Obizur (Porcine) (500 IU)	Baxalta			✓		✓	2 months if stored greater than 8°C but less than 25°C
	Nuwiq (250, 500, 1000, 2000,3000,4000 IU)		Octapharma	2 to 8		✓		✓
Long Acting Recombinate Factor VIII	Eloctate™ (250, 500, 750, 1000, 1500, 2000, 3000 IU)	Biogen	2 to 8		✓		✓	6 months
	Jivi® (500, 1000,2000,3000 IU)	Bayer	2 to 8		✓		✓	up to 25°C for 6 months
	Adynovate (250, 500, 1000, 2000, 3000 IU)	Shire	2 to 8		✓		✓	3 months

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures	Expiry should be adjusted to
Factor VIII/von Willebrand Factor (vWF)	Humate P® (1000 RcoF, 2000 RcoF IU)	CSL Behring	2 to 25	✓		✓	
	wilate® (500, 1000 IU)	Octapharma	2 to 8		✓	✓	6 months
Factor IX	Immunine®VH (500IU)	Shire	2 to 8		✓	✓	3 months
Recombinat Factor IX (rFIX)	BeneFIX® (500, 1000, 2000, 3000 IU)	Pfizer Canada Inc	2 to 30	✓		✓	
Long Acting Recombinant Factor IX	Rebinyn (500,1000,2000 IU)	Novo Nordisk	2 to 8		✓	✓	6 months
	Aprolix™ (500, 1000, 2000, 3000 IU)	Bioerativ	2 to 8		✓	✓	6 months
Factor X	*Factor X P Behring (600 IU)	CSL Behring	2 to 8		✓	✓	
Factor XI	*Factor XI (1000 IU)	Bio Products Laboratory	2 to 25	✓		✓	
Factor XIII	Corifact™ (250, 1250 IU)	CSL Behring	2 to 8		✓	✓	
	Tretten® (2500 IU)	Novo Nordisk	2 to 8		✓	✓	
Fibrinogen	RiaSTAP™ (1g)	CSL Behring	2 to 8		✓	✓	
	Fibryga® (1g)	Octapharma	2 to 25	✓		✓	
Hyperimmune Globulin/Immune Globulin	WinRho®SDF (Anti-D IG 600, 1500, 5000IU)	Aptevo	2 to 8	✓		✓	
	*Hyper RHO S/D (syringe - 1500IU)	Grifols	2 to 8	✓		✓	
	Hyper Hep B®S/D (Anti-HBIG 0.5, 5 mL)	Grifols	2 to 8	✓		✓	
	HepaGam B® (Anti-HBIG 1, 5mL)	Aptevo	2 to 8		✓	✓	
	VariZIG™(Anti-VZIG 125 IU)	Aptevo	2 to 8		✓	✓	
	GamaSTAN®(IMIG - 2mL)	Grifols	2 to 8	✓		✓	
	Cytogam® (Anti-CMV IG 2.5g)	CSL Behring	2 to 8		✓	✓	
Immune Globulin Intravenous/Subcutaneous	Gamunex®, 10% (2.5, 5, 10, 20 g)	Grifols	2 to 8	✓		✓	6 months
	IGIVnex (20g)	Grifols	2 to 8	✓		✓	6 months
	Privigen®, 10% (2.5, 5,10,20,40g)	CSL Behring	2 to 25	✓		✓	
	Octagam 10% (5, 10, 20g)	Octapharma	2 to 8		✓	✓	3 months
	Gammagard Liquid, 10% (5, 10g)	Shire	2 to 8		✓	✓	12 months (within the first 24 months of manufacturer date)

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures	Expiry should be adjusted to
	Gammagard S/D (5g)	Shire	2 to 25	✓		✓	
	Panzyga 10% (2.5, 5, 10, 20, 30 g)	Octapharma	2 to 8		✓	✓	9 months
	Hizentra™20% (1, 2, 4, 10, 20g)	CSL Behring	2 to 25	✓		✓	
	Cuvitru 20% (1, 2, 4, 8g)	Shire	2 to 8	✓		✓	Up to 24 months from date of manufacture
	Cutaquig 16.5% (1, 2, 4, 8g)	Octapharma	2 to 8	✓	✓	✓	6 months
	*Gammanorm (1.65g)	Octapharma	2 to 8		✓	✓	1 month
Protein C	*Ceprotrin (500, 1000 IU)	Shire	2 to 8		✓	✓	
Prothrobim Complex Concentrates	Octaplex® (500, 1000 IU)	Octapharma	2 to 25	✓		✓	
	Beriplex® P/N (500 IU)	CSL Behring	2 to 25	✓		✓	
Hemin for Injection	Panhematin (268mg)	Recordati	20-25	✓		✓	
*ASTERISK: Products not licensed by Health Canada, and only available under the Special Access Programme							
 Adjusted Expiry Date: When you adjust the expiry date due to increase storage temperature; do not use the product after new expiry date or manufacturer's labelled expiry date, which ever comes first.							