## Subcutaneous Immune Globulin (SCIG) Home Infusion Request form

## Complete and submit to local Transfusion Medicine Laboratory (TML)

Patient Name:	
Date of Birth(Y/M/D):	
Hospital #:	
Health Card Number:	

Laboratory (TiviL)										
Weight:	cm IG Dose Calculator (transfusionontario.org)									
Product Prescribed	Product Prescribed (please check): □ Cuvitru®		□ Hizentra® □ HyQvia®		Qvia® □ Other	□ Other				
Currently receiving:	Currently receiving:   IVIG  SCIG		□ New Patient		t Date of last	Date of last IG infusion:				
Serum IgG: order)	g/L Date:	(Mandato	ory if curren	tly receivii	ng IG for PID/SID; Result	must be within 3 months of				
☐ Initial Reques	t for SCIG or	brand chan	ge (com	plete Al	LL information in l	box below)				
Is this patient being referred to a program for training and support? If yes, please indicate the program.			□ OnePath □ Hizentra Care □ ONIT  □Other:							
Indication for IG Request			□ Primary Immune Deficiency (PID)							
<u>Utilization Management Guidelines – Transfusion</u>			□ Secondary Immune Deficiency (SID)							
<u>Ontario</u>			(cause of SID:							
**Request is valid for 12 months if patient currently on IG treatment. New patients with 'Other' indication, request is valid for 6 months.**			□ Chronic Inflammatory Demyelinating Polyneuropathy (CIDP) □ Other:							
Prescribed dose of	Administration I	requency:	_							
SCIG per month	Administer:	g, over	days	, every	week, for a	week, for a total monthly dose ofg				
□ 0.2 g/kg	Round dose to nearest gram/vial size.									
□ 0.3 g/kg	For HyQvia® ONLY:									
□ 0.4 g/kg	HyQvia® ramp up dose provided over 4–7-weeks differs from regular dosing schedule noted above, therefore, pleas specify ramp up patient dose per week in shaded box below (vial sizes available for the ramp up are 2.5, 5, 10, 20,									
□ 0.5 g/kg □ 0.6 g/kg	and 30 grams):									
☐ 1.0 g/kg ☐ Other: g/kg	Infusion Number	Week	Percent of Target Dose		Standard ramp up for 30 grams q4weeks	Other ramp up dose Patient Dose (g)- please spec	cify			
<u> </u>	1	1	25%		7.5 g					
	2	2	50	)%	15 g					
	3	4	75% 100%		22.5 g					
	4	7			30 g					
☐ Annual Renev	val or Change	e SCIG dose	(comple	ete info	rmation below)					
						use in past 12 months):				
□ Continue current SC	IG dose			□ Change	SCIG dose					
Per month dose:g/kg Total monthly dose:			g Per month dose:g/kg Total monthly dose:g							
Administer:g,	over da	ys, every	week(s)		er:g, over	days, everywe	ek(s)			
Prescriber Name (prin	t):		Preso	criber phor	ne/ext.:					
Prescriber Signature:_			Date	<u> </u>						