

Plasma Protein Products - Product Information October 2023

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within 24hrs	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures		Expiry should be adjusted to
						Yes	No	
Anti-Inhibitor Coagulant	FEIBA™NF (1000,2500 IU)	Takeda	2 to 25	✓			✓	
Monoclonal Antibody	Hemlibra® emicizumab (30mg/1ml, 60mg/0.4ml, 105mg/0.7ml, 150mg/1ml)	Roche	2 to 25	✓			✓	
Albumin	Plasbumin®5% (50mL)	Grifols	2 to 30	✓			✓	
	Albumin®5% (500mL)	Grifols/CBS	2 to 30	✓			✓	
	Albumin®25% (100mL)	Grifols/CBS	2 to 30	✓			✓	
	Alburex®5% (250mL, 500mL)	CSL Berhing	2 to 30	✓			✓	
	Alburex®25% (50mL, 100mL)		2 to 30	✓			✓	
Antithrombin III	Antithrombin III NF (1000 IU)	Takeda	2 to 8		✓		✓	
C1 Inhibitor	Beriner® (500,1500 IU)	CSL Berhing	2 to 25	✓			✓	
	CINRYZE® (500 IU)	Takeda	2 to 25	✓			✓	
	Haegarda (2000, 3000IU)	CSL Berhing	2 to 30	✓			✓	
Factor VII	*Factor VII (600 IU)	Takeda	2 to 8		✓		✓	
Recombinant Factor VIIa (rFVIIa)	NiaStase RT® (1.0mg, 2.0mg, 5.0mg)	Novo Nordisk	2 to 25	✓			✓	
Factor VIII	*Koate-DVI (500,1000 IU)	Grifols	2 to 8	✓		✓		6 months
Recombinant Factor VIII (rFVIII)	Kovaltry FS (250, 500, 1000, 2000, 3000 IU)	Bayer	2 to 8	✓		✓		12 months
	Xyntha® (500 IU)	Pfizer Canada Inc	2 to 8		✓	✓		3 months if stored at greater than 8°C
	Xyntha®Solofuse (500, 1000, 2000,3000 IU)	Pfizer Canada Inc	2 to 8		✓	✓		3 months if stored at greater than 8°C
	Eloctate™ (500, 750, 1000, 1500, 2000, 3000 IU)	Biogen	2 to 8		✓	✓		6 months
	Obizur (Porcine) (500 IU)	Takeda			✓	✓		2 months if stored greater than 8°C but less than 25°C
	Adynovate (250, 500, 1000, 1500, 2000, 3000 IU)		2 to 8		✓	✓		3 months
	Nuwiq (250, 500, 1000, 2000,3000,4000 IU)	Octapharma	2 to 8		✓	✓		12 months
	Zonovate (1000, 2000 IU)	Novo Nordisk	2 to 8		✓	✓		12 months

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures		Expiry should be adjusted to
	Esperoct (500, 1000, 2000 IU)	Novo Nordisk	2 to 8		✓	✓		12 months
	Jivi® (500, 1000, 2000, 3000 IU)	Bayer	2 to 8		✓	✓		up to 25°C for 6 months or up to 30°C for 3 months
Factor VIII/von Willebrand Factor (vWF)	Humate P® (1000, 2000 RcoF IU)	CSL Behring	2 to 25	✓			✓	
	Wilate® (500, 1000 IU)	Octapharma	2 to 8		✓	✓		6 months
Factor IX	Immunine®VH (500IU)	Takeda	2 to 8		✓	✓		3 months
Recombinat Factor IX (rFIX)	BeneFIX® (500, 1000, 2000, 3000 IU)	Pfizer Canada Inc	2 to 30	✓			✓	
	Rebinyn (500,1000,2000 IU)	Novo Nordisk	2 to 8		✓	✓		6 months
	Alprolix™ (500, 1000, 2000, 3000 IU)	Bioverativ	2 to 8		✓	✓		6 months
Factor X	*Factor X P Behring (600 IU)	CSL Behring	2 to 8		✓		✓	
Factor XI	*Factor XI (1000 IU)	Bio Products Laboratory	2 to 25	✓			✓	
Factor XIII	Corifact™ (250, 1250 IU)	CSL Behring	2 to 8		✓		✓	
	Tretten® (2500 IU)	Novo Nordisk	2 to 8		✓		✓	
Fibrinogen	RiaSTAP™ (1g)	CSL Behring	2 to 8		✓		✓	
	Fibryga® (1g)	Octapharma	2 to 25	✓			✓	
Hyperimmune Globulin/Immune Globulin	WinRho®SDF (Anti-D IG 600, 1500, 5000IU)	SAOL	2 to 8	✓			✓	
	Hyper Hep B®S/D (Anti-HBIG 0.5 syringe, 5 mL)	Grifols	2 to 8	✓			✓	
	HepaGam B® (Anti-HBIG 1, 5mL)	SAOL	2 to 8		✓		✓	
	VariZIG™(Anti-VZIG 125 IU)	SAOL	2 to 8		✓		✓	
	GamaSTAN®S/D (IMIG - 2mL)	Grifols	2 to 8	✓			✓	
	Cytogam® (Anti-CMV IG 2.5g)	CSL Behring	2 to 8		✓		✓	
	*HyperRHO S/D (1500 IU)	Grifols	2 to 8	✓			✓	
	Gamunex®, 10% (2.5, 5, 10, 20 g)	Grifols	2 to 8	✓		✓		6 months
	IGIVnex (20g)	Grifols	2 to 8	✓		✓		6 months
	Privigen®, 10% (2.5, 5,10,20,40g)	CSL Behring	2 to 25	✓			✓	
	Octagam 10% (2, 5, 10, 20, 30g)	Octapharma	2 to 8		✓	✓		3 months

Product & Product Sizes		Supplier	Recommended Storage Temp (°C)	Can be shipped between 2 - 25°C within 24hrs	Must only be shipped between 2-8°C within	Does this product have expiry date adjustments if stored >24hrs outside of recommended storage temperatures		Expiry should be adjusted to
Immune Globulin Intervenous/Subcutaneous	Gammagard Liquid, 10% (2.5, 5, 10, 20, 30g)	Takeda	2 to 8		✓	✓		12 months (<i>within the first 24 months of manufacturer date</i>)
	Gammagard S/D (5g)	Takeda	2 to 25	✓			✓	
	Panzyga 10% (5, 10, 20, 30 g)	Octapharma	2 to 8		✓	✓		9 months
	Hizentra™20% (1, 2, 4, 10g)	CSL Behring	2 to 25	✓			✓	
	Cuvitru 20% (1, 2, 4, 8, 10g)	Takeda	2 to 8	✓		✓		Up to 24 months from date of manufacture
	Cutaquiq®16.5% (1, 2, 4, 8g)	Octapharma	2 to 8		✓	✓		6 months
	HyQvia	Takeda	2 to 8	✓		✓		3 months
Protein C	*Ceprotrin (500, 1000 IU)	Shire	2 to 8		✓		✓	
Prothrobim Complex Concentrates	Octaplex® (500, 1000 IU)	Octapharma	2 to 25	✓			✓	
	Beriplex® P/N (500 IU)	CSL Behring	2 to 25	✓			✓	
*ASTERISK: Products not licensed by Health Canada, and only available under the Special Access Programme								
<div style="display: flex; align-items: center;"> <div> <p>Adjusted Expiry Date:</p> <p>When you adjust the expiry date due to increase storage temperature; do not use the product after new expiry date or manufacturer's labelled expiry date, which ever comes first.</p> </div> </div>								